

# CONCRETE FLATWORK & HAND TOOLS



## LIGHTWEIGHT BULLFLOAT

The concrete workhorse!



These lightweight and hard wearing bullfloats are made from the finest extruded material. Multi ribbed for strength. The standard blade is rounded to avoid digging into the concrete. The complete assembly comes with a pitch control gearhead and three snaplock extension handles.



Part N°	Sizes	Weight
Round-end		
350083	900 mm. x 200 mm.	Kg. 4,6
350084	1200 mm. x 200 mm.	Kg. 5,6
350085	1500 mm. x 200 mm.	Kg. 6,6

The lightweight bullfloat is also available with an adaptor kit to enable the use of the fresno broom for brush finish.

Part N°	Sizes	Weight
Round-end		
350072	900 mm. x 200 mm. with broom & adaptor kit	
350073	1200 mm. x 200 mm. with broom & adaptor kit	
350074	1500 mm. x 200 mm. with broom & adaptor kit	

Part N°	Sizes	Weight
Round-end		
350095	900 mm. x 200 mm. Blade only	Kg. 2,8
350096	1200 mm. x 200 mm. Blade only	Kg. 3,8
350097	1500 mm. x 200 mm. Blade only	Kg. 4,8

## FRESNO BROOM



Easy floating & textured finish. A steel float complete with radius arms and texturing broom for concrete brush finish. Brush made from hard wearing polybristle. The complete assembly comes with a pitch control gearhead and three snaplock extension handles.



Part N°	Sizes	Weight
Round-end		
750055	900 mm. x 120 mm. with broom & adaptor kit	
750056	1200 mm. x 120 mm. with broom & adaptor kit	
750057	1500 mm. x 120 mm. with broom & adaptor kit	


Part N°	Sizes	Weight
Round-end		
700044	900 mm. x 120 mm.	Kg. 4,3
700045	1200 mm. x 120 mm.	Kg. 5,2
700046	1500 mm. x 120 mm.	Kg. 6,1

Part N°	Sizes	Weight
Round-end		
790073	900 mm. x 120 mm. Blade only	Kg. 2,5
790074	1200 mm. x 120 mm. Blade only	Kg. 3,4
790075	1500 mm. x 120 mm. Blade only	Kg. 4,3

## BIG BLUE FLOAT



A blue carbon steel float is often a super smooth sealed finish. Used in combination with a screed machine the need to powerfloat is not necessary. Eg house bases, garage floors, condominiums. The Big Blue assembly comes with a pitch control gearhead and three snaplock extension handles.



Part N°	Sizes	Weight
111990	600 mm. x 300 mm.	Kg. 4,4
111991	900 mm. x 300 mm.	Kg. 5,7
111992	1200 mm. x 300 mm.	Kg. 7,0
111993	1500 mm. x 300 mm.	Kg. 8,3
111994	1800 mm. x 300 mm.	Kg. 9,6
111995	2400 mm. x 300 mm.	Kg. 12,2

Part N°	Sizes	Weight
111200	600 mm. x 300 mm. Blade only	Kg. 2,6
111201	900 mm. x 300 mm. Blade only	Kg. 3,9
111202	1200 mm. x 300 mm. Blade only	Kg. 5,2
111203	1500 mm. x 300 mm. Blade only	Kg. 6,5
111204	1800 mm. x 300 mm. Blade only	Kg. 7,8
111205	2400 mm. x 300 mm. Blade only	Kg. 10,4

## MESH TWIN ROLLER TAMP



Brings fine material to the surface of the concrete fast and pushes down stone aggregates. Ideal for use prior to concrete printing and stamping. Useful for fast texturing of concrete. The Roller Tamp comes with three snaplock extension handles.



BETON TROWEL.COM

Part N°	Sizes	Weight
BT36RT	900 mm.	
BT48RT	1200 mm.	

### CHANNEL RADIUS FLOAT



Used immediately after the floor has been screeded by Laser Screed or conventional screed. The radius float will enhance floor tolerance and will push down exposed aggregates. The complete assembly comes with a pitch control gearhead and three snaplock extension handles.

Part N°	Sizes	Weight
101034	2450 mm. x 150 mm.	Kg. 9,5
101035	3000 mm. x 150 mm.	Kg. 10,5

### HEAVY DUTY BUMPCUTTER



The Heavy Duty Bumpcutter or highway straight edge will help make floor corrections throughout the power floating process to help achieve very tight tolerances. The complete assembly comes with a pitch control gearhead and three snaplock extension handles.

Part N°	Sizes	Weight
101026	2450 mm. x 150 mm.	Kg. 13,0
101027	3000 mm. x 150 mm.	Kg. 14,0

### CLAMP HANDLE AUSSIE SCREED



The aussie screed is extremely light and has rounded and square profile edges to help cut bumps and smooth the concrete surface. The clamp handle can be reversed to the other side of the beam to achieve a double life from the beam extrusion. The screed is complete with a level bubble.

Part N°	Length
BT1500AS	1500 mm.
BT3000AS	3000 mm.
BT4200AS	4200 mm.

### WORM DRIVE PITCH CONTROL

This isometric design heavy duty aluminium worm drive gear head, holds the blades at the desired angle for easy floating. The blade angle can be quickly changed with a turn of the handle.



Supplied on all tools

Part N°	
BT 003300	

### ALUMINIUM SNAP HANDLE

Each tool comes complete with 3 x 1800 mm handles with snaplock connectors. Each handle is coated in plastic paint for protection from metal deposits.



Part N°	Sizes	Weight
000055	1800 mm. x Ø 45 mm.	Kg. 1,0
000057	Replacement snap	

### CONCRETE SQUEEGIE



2 m rubber squeeegies for removal of bleed water from the concrete slab and 75 cm double sponge squeegee for cleaning up after concrete cutting. Fitted with ergonomic handle.



Part N°	
BT066060	2m Rubber with handle
BT066061	75cm Sponge with handle

## MORE TOOLS FOR THAT QUALITY FINISH



TEXAS PLACER RAKES




CONCRETE BRUSHES



FLOOR SCRAPERS



IRON TAMPS



SQUARE END TROWELS



ROUND / SQUARE END TROWELS



ROUNDED POOL TROWELS



MAGNESIUM BEVEL END FLOATS & DERBY'S



BRONZE HAND EDGERS



BRONZE HAND GROOVERS



BRONZE WALKING GROOVERS



BRONZE WALKING EDGERS



REBAR BENDERS & CUTTERS

**DEALER**

**BETON TROWEL N.V.**

tel. +32 (0)52 315 350

tel. +32 (0)52 315 351

fax +32 (0)52 303 739

E-mail [info@betontrowel.com](mailto:info@betontrowel.com)

Nijverheidsstraat 11

B- 1840 Londerzeel - Belgium

**BT**  
**BETONTROWEL.COM**